

# C2 Pro

Professional PoE Fingerprint & Card Terminal




C2 Pro is a high performance time and attendance terminal aimed to the middle and high-end market. Equipped with highly efficient Dual-Core 1GHz processor, C2 Pro sustains higher performance by finishing the comparison in less than 0.5 seconds. Friendly GUI and 3.5 inches TFT LCD make C2 Pro is easy to use. It support several RFID reader module (HID, ALLEGION or ANVIZ) and RS485, PoE-TCP/IP or WiFi communication for different requirements. Based on Linux operation system, C2 Pro offers SDK and EDK for further customization of the system. It also provides 1 relay for the ringbell and a connecting to the Access Control system. All the above to meet your requirements.

**aptiQ**



# BioNANO - The core algorithm

BioNANO is applied in all Anviz biometric-based products used for identification.



- Independent research and development
- Suitable for both wet and dry fingers
- Automatically restores the broken lines in fingerprint images
- Extraction of features in worn fingerprints
- Fingerprint template auto update

## Functional Parameter

| Item                          | Specifications                               |                                                           |
|-------------------------------|----------------------------------------------|-----------------------------------------------------------|
| Platform                      | Linux                                        |                                                           |
| Hardware                      | CPU                                          | Dual-Core 1GHz Processor                                  |
|                               | Memory                                       | 512M DDR3+2GB Flash                                       |
|                               | LCD                                          | 3.5" TFT                                                  |
|                               | LED                                          | Three-color indicator light                               |
| Registration and verification | Operating Temperature                        | -30°C to 60°C                                             |
|                               | Humidity                                     | 10% to 90%                                                |
|                               | Verification Mode                            | Fingerprint (1:N, 1:1), Password, Card                    |
|                               | Fingerprint capacity                         | 10,000 (1:N)                                              |
|                               | Logs                                         | 100,000                                                   |
|                               |                                              |                                                           |
| RFID                          | HID iClass Card                              | Optional                                                  |
|                               | Anviz                                        | Standard 125KHz EM<br>Optional 13.56MHz Mifare/ISO 14443A |
| Interface                     | WiFi                                         | Yes                                                       |
|                               | TCP/IP                                       | Yes                                                       |
|                               | RS485                                        | Yes                                                       |
|                               | Relay                                        | 1 Relay                                                   |
|                               | USB                                          | 1 Host                                                    |
|                               | PoE                                          | Standard IEEE802.3af                                      |
|                               | Wiegand                                      | Wiegand Output                                            |
| Web Server                    | Yes                                          |                                                           |
| Power                         | DC 12V 1A                                    |                                                           |
| Dimensions                    | 140(w) x 190(h) x 32(d) mm (5.51x7.48x1.26") |                                                           |
| Certificates                  | CE, FCC, RoHS                                |                                                           |

## Features

- Linux platform to provide a safe and stable performance
- Comparison time in less than 0.5s
- Embedded fingerprint templates to the IC card to provide a more safety comparison on 1:1
- AFOS408 the latest fingerprint reader, touch on activation infrared, optical imaging technology
- PoE-TCP/IP, R3485 & WiFi are provided to satisfy different needs
- Provide 1 relay for bell and connecting to Access Control system
- New material that makes it more appealing and durable
- Ergonomic design with new rubber keypad to provide a better user experience
- Bigger and brighter 3.5 inch color display
- Fast & easy installation through a wall-mounted board
- Ease the experience of user by brand new UI design



USB Drive & Host



Card Reader



Slim



Self-Service  
Record Inquiry



POE



# CrossChex

Time Attendance and Access Control Management System

CrossChex is an intelligent management system of time attendance and access control devices, which is applicable to all Anviz time attendances and access controls. The user-friendly and interactive design makes this system very easy to operate, the powerful function makes this system realize the management of department, staff, shift, payroll, access authority, and exports different time attendance and access control reports, satisfying different time attendance and access control requirements in different complicated environments.



CrossChex Cloud


## Advantages


- No need to install, maintain, or upgrade software
- No expensive computers to purchase or maintain
- Access data in real-time from any PC and Mobile with Internet
- Receive real-time alerts to your email
- Multiple encryptions and redundancy backup for data safety.

Multi-Platform



Please scan this QR code to get CrossChex Cloud App





Please scan this QR code  
to win Anviz vCard

## About Anviz

Founded in 2001, Anviz is a global leader in the field of intelligent security including Biometric, RFID and Surveillance. Cutting edge R&D, ISO certified manufacturing and global brand recognition provide our partners with the fast track to success!

Anviz is at the forefront of biometric, RFID, and surveillance technologies. Through constant R&D, ISO certified manufacturing and global brand recognition, Anviz is an industry leader. Producing high-quality, cost-effective security solutions have helped amass a global client base of over 60 million customers in over 100 countries.

For more information, visit [www.anviz.com](http://www.anviz.com), or email us [sales@anviz.com](mailto:sales@anviz.com).

